Stalosan Basic

Issued: 1/06/2023 Version: 1.0.0

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Trade name: Stalosan Basic

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Powder hygiene product for livestoc production.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Vilofoss A/S

Address: Ballesvej 2

Zip code: 7000

City: Fredericia
Country: DENMARK

E-mail: info-dk@vilofoss.com

Phone: +45 33685600

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)) The emergency telephone is open 24 hours.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: Eye Dam. 1;H318

Most serious harmful effects: Causes serious eye damage.

2.2. Label elements

Pictograms



Signal word: Danger

H-phrases

H318 Causes serious eye damage.

P-phrases

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338+310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

2.3. Other hazards

Assessment to determine PBT and vPvB has not been made.

Stalosan Basic

Issued: 1/06/2023 Version: 1.0.0

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No	EC No	REACH Reg. No.	Concentration	Notes	CLP- classification
Aluminium sulphate	10043-01-3	233-135-0	01-2119531538- 36-xxxx	5 - 10%		Met. Corr. 1;H290 Eye Dam. 1;H318

Please see section 16 for the full text of H-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

Skin contact: Remove contaminated clothing. Wash the skin with water. Seek medical advice in case of

persistent discomfort.

Eye contact: Open eye wide, remove any contact lenses and flush immediately with water (preferably

using eye wash equipment). Seek medical advice immediately. Continue flushing until

medical attention is obtained.

General: When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact may result in deep caustic burns, pain, tearing and cramping of the eyelids. Risk of serious eye injury and loss of sight.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited

stock.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

5.3. Advice for fire-fighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stay upwind/keep distance from source. Wear safety goggles. Wear gloves. Keep unnecessary personnel away. In case of insufficient ventilation, wear respiratory protective

Copyright © 1995-2018 DGOffice B.V., Made with CHESS in DGDoc.net

Stalosan Basic

Issued: 1/06/2023 Version: 1.0.0

equipment.

For emergency responders: In addition to the above: Protective suit equivalent to EN 368, type 3, is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Sweep up/collect spills for possible reuse or transfer to suitable waste containers. Wipe up minor spills with a damp cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use the product under well-ventilated conditions. Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Keep in tightly closed original packaging. Store in a cool, dry place.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit

	•					
Substance name	Time period	ppm	mg/m3	fiber/cm3	Comments	Remarks
Gypsum	8h		4		respirable dust	
Gypsum	8h		10		Total inhalable dust	
Gypsum	15m				Total inhalable dust	
Gypsum	15m				respirable dust	
diatomaceous earth (natural, respirable dust)	8h		1.2			

Measuring methods: Compliance with the stated occupational exposure limits may be checked by occupational

hygiene measurements.

Legal basis: EH40/2005 Workplace exposure limits. Last amended August 2018.

8.2. Exposure controls

Appropriate engineering

Wear the personal protective equipment specified below.

controls:

Personal protective equipment, Wear safety goggles/face protection. Eye protection must conform to EN 166. eye/face protection:

Personal protective equipment, Plastic or rubber gloves recommended. hand protection:

Copyright © 1995-2018 DGOffice B.V., Made with CHESS in DGDoc.net

Stalosan Basic

Issued: 1/06/2023 Version: 1.0.0

respiratory protection:

Personal protective equipment, In case of insufficient ventilation, wear respiratory protective equipment. Filter type: P. Respiratory protection must conform to one of the following standards: EN 136/140/145.

Environmental exposure

Ensure compliance with local regulations for emissions.

controls:

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

on information on busic physical and one mout properties				
Parameter	Value/unit			
State	Powder			
Colour	No data			
Odour	N/A			
Solubility	No data			
Explosive properties	N/A			
Oxidising properties	N/A			

Parameter	Value/unit	Remarks
pH (solution for use)	No data	
pH (concentrate)	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flash Point	No data	
Evaporation rate	No data	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Vapour pressure	No data	
Vapour density	No data	
Relative density	No data	
Partition coefficient n-octonol/water	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
Viscosity	No data	
Odour threshold	No data	

9.2 Other information

Other Information: None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Not reactive.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

Stalosan Basic

Issued: 1/06/2023 Version: 1.0.0

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral: Ingestion may cause discomfort. The product does not have to be classified. Test data are

not available.

Acute toxicity - dermal: The product does not have to be classified. Test data are not available.

Acute toxicity - inhalation: The product does not have to be classified. Test data are not available.

Skin corrosion/irritation: The product does not have to be classified. Test data are not available.

Serious eye damage/eye

irritation:

Eye contact may result in deep caustic burns, pain, tearing and cramping of the eyelids.

Risk of serious eye injury and loss of sight.

Respiratory sensitisation or

skin sensitisation:

The product does not have to be classified. Test data are not available.

Germ cell mutagenicity: The product does not have to be classified. Test data are not available.

Carcinogenic properties: The product does not have to be classified. Test data are not available.

Reproductive toxicity: The product does not have to be classified. Test data are not available.

Single STOT exposure: The product does not have to be classified. Test data are not available.

Repeated STOT exposure: The product does not have to be classified. Test data are not available.

Aspiration hazard: The product does not have to be classified. Test data are not available.

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

The product does not have to be classified. Test data are not available.

12.2. Persistence and degradability

Test data are not available.

12.3. Bioaccumulative potential

No bioaccumulation expected. Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

Stalosan Basic

Issued: 1/06/2023 Version: 1.0.0

No assessment has been made.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid unnecessary release to the environment.

If this product as supplied becomes a waste, it meets the criteria of a hazardous waste (Dir. 2008/98/EU). Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

Empty, cleansed packaging should be disposed of for recycling.

Category of waste: EWC code: Depends on line of business and use, for instance 16 03 03* inorganic wastes

containing hazardous substances

Absorbent/cloth contaminated with the product: EWC code: 15 02 02 absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing

contaminated by dangerous substances.

SECTION 14: Transport information

14.1. UN-No.:	Not applicable.	14.4. Packing group:	Not applicable.
14.2. UN proper shipping	Not applicable.	14.5. Environmental	Not applicable.
name:		hazards:	

14.3. Transport hazard Not applicable.

class(es):

class(es):

Inland water ways transport (ADN)

14.1. UN-No.:	Not applicable.	14.4. Packing group:	Not applicable.
14.2. UN proper shipping	Not applicable.	14.5. Environmental hazards:	Not applicable.
name:		ilazaius.	
14.3. Transport hazard	Not applicable.		

Sea transport (IMDG)

oca transport (mibo)				
14.1. UN-No.:	Not applicable.	14.4. Packing group:	Not applicable.	
14.2. UN proper shipping name:	Not applicable.	14.5. Environmental hazards:	Not applicable.	
14.3. Transport hazard	Not applicable.			

class(es):

Air transport (ICAO-TI / IATA-DGR)

14.1. UN-No.:	Not applicable.	14.4. Packing group:	Not applicable.
14.2. UN proper shipping	Not applicable.	14.5. Environmental	Not applicable.
name:		hazards:	

14.3. Transport hazard Not applicable.

class(es):

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

Stalosan Basic

Issued: 1/06/2023 Version: 1.0.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions:

None.

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

Version	Revision date	Responsible	Changes	ì
1.0.0	1/06/2023	Vilofoss A/S	New	ì

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very Persistent and Very Bioaccumulative

STOT: Specific Target Organ Toxicity

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as

subsequently changed.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components.

List of relevant H-statements

H290 May be corrosive to metals.H318 Causes serious eye damage.