

Current version : 1.0.0, issued: 04.10.2017 **Replaced version:** -, issued: - **Region:** GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Fed-Pick

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

For external application, against feather-plucking and biting of poultry and pigs.

Do not use on ornamental birds, chicks and pheasants.

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Dr. Hesse Tierpharma GmbH & Co.KG

Kieler Straße 36a

25551 Hohenlockstedt

Deutschland

Telephone no. +49 4826861043 Fax no. +49 4826861010 e-mail service@drht.de

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aerosol 1; H222 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms





GHS02

GHS07



Trade name: Fed-Pick **Product no.:** 11540

Current version : 1.0.0, issued: 04.10.2017 **Replaced version:** -, issued: - **Region:** GB

Signal word

Danger

Hazardous component(s) to be indicated on label:

propan-2-ol Bone oil

Hazard statement(s)

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F.
P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

Without adequate ventilation formation of explosive mixtures may be possible.

PBT assessment No data available. vPvB assessment

No data available.



Current version: 1.0.0, issued: 04.10.2017 Replaced version: -, issued: - Region: GB

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Addit	ional info	ormation		
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Conc	entration	1	%	
1	propan-2-ol						
	67-63-0 200-661-7 603-117-00-0 01-2119457558-25	Eye Irrit. 2; H319 Flam. Liq. 2; H225 STOT SE 3; H336	>=	50.00	- < 70.00	%-b.w.	
2	butane						
	106-97-8 203-448-7 601-004-00-0	Flam. Gas 1; H220 Press. Gas; H280	>=	25.00	- < 50.00	%-b.w.	
3	propane						
	74-98-6 200-827-9 601-003-00-5	Flam. Gas 1; H220 Press. Gas compr.; H280	>=	10.00	- < 25.00	%-b.w.	
4	Bone oil						
	8001-85-2 232-294-3 - -	Acute Tox. 4; H302 Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335 Aquatic Chronic 4; H413	>=	5.00	- < 10.00	%-b.w.	

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
2	C, U	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position. In case of allergic symptoms, especially respiratory tract related, seek medical help immediately.

After inhalation

Ensure supply of fresh air. Remove affected person from the immediate area. If breathing is irregular or stopped, administer artificial respiration. Call a doctor immediately.

After skin contact

In case of contact with skin wash off immediately with soap and water. Rinse with plenty of water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.



Current version : 1.0.0, issued: 04.10.2017 **Replaced version:** -, issued: - **Region:** GB

After ingestion

Rinse mouth thoroughly with water. Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder; Foam; Carbon dioxide; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; In case of fire: danger of pressure build up, which could result in container rupture. Formation of explosive mixtures with air is possible.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Vapours can form an explosive mixture with air. Heat causes increase in pressure and risk of bursting. Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Evacuate all unprotected personnel from the danger zone. Provide good room ventilation even at ground level (vapours are heavier than air). Keep away sources of ignition.

For emergency responders

Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Pick up with absorbent material (e.g., sand, kieselguhr, acid binder, universal binder, sawdust) and send for disposal.

6.4 Reference to other sections

Information regarding safe handling, see chapter 7. Information regarding personal protective measures, see chapter 8. Information regarding waste disposal, see chapter 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). Product inherent handling risks must be minimised taking the appropriate measures for protection and preventive actions. The working process should be designed to rule out the release of hazardous substances or skin contact as far it is possible by the state of the art.

General protective and hygiene measures

Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Avoid contact with eyes and skin. Do not inhale aerosols.



Current version: 1.0.0, issued: 04.10.2017 Replaced version: -, issued: - Region: GB

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. Take precautionary measures against static charges. Heating up leads to increase of pressure - danger of bursting. Ignitable mixtures can form in the empty container. Vapours can form an explosive mixture with air.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep away from sources of ignition.

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed.

Advice on storage assembly

Do not store together with: Oxidizing agents; spontaneously combusting substances; oxidizing substances

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters_

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	propan-2-ol	67-63-0		200-661-7	
	List of approved workplace exposure limits (WELs) / E	EH40			
	Propan-2-ol				
	STEL	1250	mg/m³	500	ml/m³
	TWA	999	mg/m³	400	ml/m³
2	butane	106-97-8		203-448-7	
	List of approved workplace exposure limits (WELs) / E	H40			
	Butane				
	STEL	1810	mg/m³	750	ml/m³
	TWA	1450	mg/m³	600	ml/m³
3	propane	74-98-6		200-827-9	
	List of approved workplace exposure limits (WELs) / E	EH40			
	Propane				

DNEL. DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure			Value	
1	propan-2-ol		67-63-0		
				200-661-7	
	dermal	Long term (chronic)	systemic	888	mg/kg/day
	inhalative	Long term (chronic)	systemic	500	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC	CAS / EC no	
	Route of exposure	Exposure time	Effect	Value		
1	propan-2-ol			67-63-0		
				200-661-7	,	
	oral	Long term (chronic)	systemic	26	mg/kg/day	
	dermal	Long term (chronic)	systemic	319	mg/kg/day	
	inhalative	Long term (chronic)	systemic	89	mg/m³	



Current version: 1.0.0, issued: 04.10.2017 Replaced version: -, issued: - Region: GB

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	propan-2-ol		67-63-0	
			200-661-7	
	water	fresh water	140.9	mg/l
	water	marine water	140.9	mg/l
	water	fresh water sediment	552	mg/l
	water	marine water sediment	552	mg/l
	water	Aqua intermittent	140.9	
	soil	-	28	mg/kg
	sewage treatment plant	-	2251	mg/l
	secondary poisoning	-	160	mg/kg
	with reference to: food			

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material Nitrile butyl rubber

Material thickness 0.4 mm
Breakthrough time >= 240 min

Other

Antistatic shoes; fire-resistant antistatic protective clothing

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour	
liquid	
brown	

Odour	
pungent	



Trade name: Fed-Pick **Product no.:** 11540

Current version : 1.0.0, issued: 04.10.2017 **Replaced version:** -, issued: - **Region:** GB

Odour threshold			
No data available			
pH value			
No data available			
Boiling point / boiling range			
Value	<	-20	°C
Melting point / melting range			
No data available			
Decomposition point / decomposition range			
No data available			
Flash point			
Value	<	-20	°C
Ignition temperature			
Value		287	°C
Auto-ignition temperature			
No data available			
Oxidising properties			
No data available			
Explosive properties No data available			
Flammability (solid, gas)			
No data available			
Lower flammability or explosive limits Value		1 1	% vol
		1.4	% VOI
Upper flammability or explosive limits	1	40	07
Value		12	% vol
Vapour pressure			
No data available			
Vapour density			
No data available			
Evaporation rate			
No data available			
Relative density			
Density			
Value Reference temperature		0.685	g/cm³ °C
·		20	
Solubility in water	Imigaible		
Remarks	miscible		



Current version: 1.0.0, issued: 04.10.2017 Replaced version: -, issued: - Region: GB

Solubility(ies)	
No data available	

Part	ition coefficient: n-octanol/water			
No	Substance name	CAS no.		EC no.
1	propan-2-ol	67-63-0		200-661-7
log F	Pow		0.05	
Refe	erence temperature		25	°C
Sou	rce	ECHA		

Viceacity	
VISCOSITY	
Nie dete enellele	
I No data avallable	
No data available	

9.2 Other information

Other information	
No data available.	

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Generation of flammable vapor-air mixtures possible.

10.4 Conditions to avoid

Protect from heat and direct sunlight. Keep away sources of ignition.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)				
No	Product Name				
1	Fed-Pick				
Rem	narks	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).			

Acu	Acute oral toxicity					
No	Substance name	CAS no.		EC no.		
1	propan-2-ol	67-63-0		200-661-7		
LD5	0		5840	mg/kg bodyweight		
Spec	cies	rat				
Meth	nod	OECD 401				
Soul	rce	ECHA				
Eval	uation/classification	Based on available data	the classification	n criteria are not met.		



Trade name: Fed-Pick **Product no.:** 11540

Current version: 1.0.0, issued: 04.10.2017 Replaced version: -, issued: - Region: GB

Acute dermal toxicity	
No data available	

Acu	Acute inhalational toxicity					
No	Substance name	CAS no.		EC no.		
1	propan-2-ol	67-63-0		200-661-7		
LC5 Dura	0 ation of exposure	>	10000 6	ppmV h		
Stat Spe Met		Gas rat OECD 403				
Sou Eva	rce uation/classification	ECHA Based on available data, th	ne classification	n criteria are not met.		

Skir	Skin corrosion/irritation					
No	Substance name	CAS no.	EC no.			
1	propan-2-ol	67-63-0	200-661-7			
Spe	cies	rabbit				
Meth	nod	OECD 404				
Sou	rce	ECHA				
Evaluation		non-irritant				
Eval	uation/classification	Based on available data, the classific	cation criteria are not met.			

Seri	Serious eye damage/irritation					
No	Substance name	CAS no.	EC no.			
1	propan-2-ol	67-63-0	200-661-7			
Spe	cies	rabbit				
Method		OECD 405	OECD 405			
Sou	rce	ECHA	ECHA			
Evaluation		irritant				
Eval	luation/classification	Based on available data, the class	sification criteria are met.			

Res	Respiratory or skin sensitisation					
No	Substance name	CAS no.	EC no.			
1	propan-2-ol	67-63-0	200-661-7			
Route of exposure		Skin				
Species		guinea pig				
Method		OECD 406				
Source		ECHA				
Evaluation		non-sensitizing				
Evaluation/classification Based on available data, the classification criteria are not met.			n criteria are not met.			

Geri	Germ cell mutagenicity					
No	Substance name	CAS no.	EC no.			
1	propan-2-ol	67-63-0	200-661-7			
Source Evaluation/classification		ECHA Based on available data, the classit	ication criteria are not met.			



Current version: 1.0.0, issued: 04.10.2017 Replaced version: -, issued: - Region: GB

Reproduction toxicity

No data available

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard

No data available

SECTION 12: Ecological information

12.1 Toxicity

Toxi	Toxicity to fish (acute)					
No	Substance name	CAS no.		EC no.		
1	propan-2-ol	67-63-0		200-661-7		
LC5	0		9640	mg/l		
Dura	ation of exposure		96	h		
Spec	cies	Pimephales promelas				
Method		OECD 203				
Soul	rce	ECHA				

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No data available

Toxicity to algae (chronic)

No data available

Bacteria toxicity

No data available

12.2 Persistence and degradability

	Biodegradability					
No	Substance name	CAS no.		EC no.		
1	propan-2-ol	67-63-0		200-661-7		
Туре	9	BOD/COD				
Valu	e		53	%		
Dura	ation		5	day(s)		
Source		ECHA				
Eval	uation	readily biodegradable				



Trade name: Fed-Pick **Product no.:** 11540

Current version: 1.0.0, issued: 04.10.2017 Replaced version: -, issued: - Region: GB

12.3 Bioaccumulative potential

Part	Partition coefficient: n-octanol/water					
No	Substance name	CAS no.		EC no.		
1	propan-2-ol	67-63-0		200-661-7		
log Pow			0.05			
Reference temperature			25	°C		
Sou	rce	ECHA				

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	No data available.
vPvB assessment	No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information	
Do not discharge product unmonitored into the environment.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Dispose of according to all applicable regulations upon consultation of the local competent authorities and the disposer in a suitable and authorised disposal facility.

Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 2
Classification code 5F
UN number UN1950
Technical name AEROSOLS
Tunnel restriction code D

Label 2.1

14.2 Transport IMDG

 Class
 2

 UN number
 UN1950

 Proper shipping name
 AEROSOLS

 EmS
 F-D+S-U

 Label
 2.1

14.3 Transport ICAO-TI / IATA

Class 2.1 UN number UN1950

Proper shipping name Aerosols, flammable

Label 2.1



Current version: 1.0.0, issued: 04.10.2017 Replaced version: -, issued: - Region: GB

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture. <u>EU regulations</u>

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annexe XVII.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances		
This product is subject to Part I of Annex I, risk category:	P3a	

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.
H315 Causes skin irritation.

H335 May cause respiratory irritation.

H413 May cause long lasting harmful effects to aquatic life.



Trade name: Fed-Pick **Product no.:** 11540

Current version: 1.0.0, issued: 04.10.2017 Replaced version: -, issued: - Region: GB

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

C Some organic substances may be marketed either in a specific isomeric form or as a

mixture of several isomers. In this case the supplier must state on the label whether the

substance is a specific isomer or a mixture of isomers.

U When put on the market gases have to be classified as 'Gases under pressure', in one of

the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be

assigned case by case.

Department issuing safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 732604